

I. Originalien

1. Fleischhacker W.W, Barnas Ch., Haring Ch., Stuppäck H.
Wagner R. (1986)
Der psychiatrische Konsiliardienst: Eine Analyse von Bedarf und Inanspruchnahme im a.ö. Landeskrankenhaus (Universitätskliniken) Innsbruck.
Nervenarzt, 57:589-59

2. Haring Ch., Humpel Ch., Auer B., Saria A., Barnas Ch.,
Fleischhacker W.W., Hinterhuber H. (1988)
Clozapine plasma levels determined by high-performance liquid chromatography with ultraviolet detection.
J. Chromatography, Biomed. Appl., 428:160-166

3. Humpel Ch., Haring Ch., Saria A. (1989)
Rapid and sensitive determination of clozapine in human plasma using high-performance liquid chromatography and amperometric detection.
J. Chromatography, Biomed. Appl. 491: 235-39

4. Haring Ch., Meise U., Humpel Ch., Saria A. (1989).
Dose-related plasma levels of clozapine: influence of smoking behaviour, sex and age.
Psychopharmacology 99:S38-S40

5. Haring Ch., Barnas Ch., Saria A., Humpel Ch., Fleischhacker W.W. (1989)
Dose-related Plasma Levels of Clozapine: Findings in a Clinical Population of Patients.
J. Clinical Psychopharmacology 9:71-72

6. Humpel Ch., Knaus G.A., Auer B., Haring Ch., Theodorsson E., Saria A. (1990)
Effects of Haloperidol and Clozapine on Prepro-tachykinin-A, Messenger RNA, Tachykinin Tissue Levels, Release and Neurokinin-receptors in the Striato-Nigral System.
Synapse 6:1-9

7. Haring Ch., Fleischhacker W.W., Schett P., Humpel Ch., Barnas Ch., Saria A. (1990)
Influence of Patient-Related Variables on Clozapine Plasma Levels.
American J Psych 11:1471-1475

8. Barnas Ch., Fleischhacker W.W., Stuppäck Ch., Miller C., Haring Ch., Unterweger B., Hinterhuber H. (1990)
Zotepine versus haloperidol in the treatment of schizophrenia with prevaile negative symptoms. J. Cli. Psychopharmacol. 7:23-27

9. Haring Ch., Biebl W., Barnas Ch., Miller C., Fleischhacker W.W. (1991) Vulnerable Phases in Childhood and Adolescence Represented by Means of Committed Suicide. Crisis 12/1: 58-63

10. Haring Ch., Humpel Ch., Javorsky F, Skofitsch G., Krobath J., Saria A. (1991)
Calcitonin Gene-Related Peptide in the Amygdaloid Complex of the Rat:Immunohistochemical and Quantitative

Distribution, and Drug Effects on Calcium
Dependent, Potassium-Evoked in Vitro Release. Synapse 8:261-269

11. Platt S., Bille-Brahe U., Kerkoff A., Schmidtke A., Bjereke T., Crepet P., De Leo D., Haring Ch., Lonquist J., Michel K., Philippe A., Pommereau X., Querejeta I., Salander-Renberg E., Temesvary B., Wassermann, Sampaio J.. (1992).
Parasuicide in Europe: the WHO/EURO multicentre study on parasuicide. I. Introduction and preliminary analysis for 1989. Acta Psych. Scand

12. Lechleitner P., Dzien A., Haring Ch., Glossmann H. (1990)
Uneventful self poisoning with a very high dose of captopril.
Toxicology 64:325-329

13. Barnas Ch., Stuppäck Ch., Haring Ch., Sperner-Unterwger B., Fleischhacker W. W. (1991)
Zotepin: Die Behandlung schizophrener Patienten mit vorherrschender Negativsymptomatik. Ein Doppelblindstudie vs. Haloperidol.
Fortschr. Neuro. Psychiat, 1, 37-40

14. Barnas Ch., Stuppäck Ch., Miller C., Haring Ch., Unterweger B., Fleischhacker W.W. (1991)
Zotepine in the treatment of schizophrenic patients with prevailing negative symptoms – A
double-blind trial versus haloperidol.
Shinryo ShinyaKu 28: 191-198

15. Hinterhuber H., Deisenhammer E., Haring Ch. (1991)
Die Suizidrate in Südtirol. APIS 2:33-36

16. Humpel Ch., Neudorfer C., Philipp W., Steiner H.J., Haring Ch., Schmid K.W., Schwitzer J., Saria A. (1992)
Effects of Bright Artificial Light on Monoamines and Neuropeptides in eight different Brain Regions Compared in a
Pigmented and Nonpigmented Rat Strain.
Neuroscience Research 32:605-612

17. Lechleitner P., Genser N., Mair J., Dienstl A., Haring Ch., Wiedermann C.J., Puschendorf B., Saria A., Dienstl F. (1992)
Calcitonin gene-related peptide in patients with and without early reperfusion after acute myocardial infarction. Am Heart
Journal 124:1433-1439

18. Fleischhacker W.W., Baily P., Deister C., Haring Ch., Klimke,
Kurz M., Müller H., Müller-Spahin F., Naber D., Sperner-Unterweger B. (1992)
Clozapine - Beneficial and Untoward Effects: An Update.
Pharmacopsychiatry 25:74-75

19. Saria A., Bernatzky G., Humpel Ch., Haring Ch., Skofitsch G., Panksepp J. (1992)
Calcitonin Gene-Related Peptide in the Brain. Neurochemical and Behavioural Investigations.
Ann NY Acad Sci 657:164-169

20. Barnas Ch., Stuppäck Ch., Miller C., Haring Ch., Unterweger B., Fleischhacker W.W. (1992)
Zotepine in the treatment of schizophrenic patients with prevailing negative symptoms - A
double-blind trial versus haloperidol.

Int. Cl. Psychopharmac 7: 23-27

21. Marksteiner J., Saria A., Kirchmaier R., Pycha R., Benesch H., Fischer-Colbrie, Haring Ch., Maier H., Ransmayr G. (1993)

Distribution of Secretoneurin-like Immunoreactivity in Comparison with Substance P-, and Enkephalin-like Immunoreactivities in Various Human Forebrain Regions.

Eur. J. Neurochemistry 5:1573-1585

22. Haring Ch., Neudorfer C., Schwitzer J., Saria A., Hummer M., Hinterhuber H. Fleischhacker W. W. (1994)

EEG alterations in patients treated with clozapine in relation to plasma levels.

Psychopharmacol 114:97-100

23. Meise U., Gunther V., Haring Ch. (1994)

Alkoholismus: Eine ökonomische Betrachtung. Psychiatria Danubina, pp 47-54

24. Lechleitner P., Genser N., Mair J., Haring Ch.,

Dienstl F., Saria A. (1991)

Calcitonin gene-related peptide and fluid overload in congestive heart failure.

Lancet 338:955

25. Lechleitner P., Haring Ch., Mair J., Genser N., Widermann Ch .J.

Exercise Induced Increase in Plasma Concentrations of Calcitonin Gene-Related

Peptide in Patients with Coronary Heart Disease and Healthy Controls.

Int J of Angiology , 1994, 3:16-19

26. Schmidtke A., Bille-Brahe U., Kerkhof A., De Leo D., Platt S.

Sampaio-Faria J., Henderson J., Pototzky W., Bjereke T., Crepet P.,

Haring Ch., Lönnquist J., Michel K., Philippe A., Pommereau X.,

Querejeta I., Salander-Renberg, Temesvary B., Wassermann D. (1994).

Studio Multocentrico WHO/EURO sul parasuicidico. Stato dell'Arte.

In „Suicidio: Verso Nuove Strategie Preventive“, D.De Leo e L.Pavan (eds.). Kendall,

Padova, 21-37

27. Haring Ch., Deisenhammer E., Walch T., Kurz M., De Col C.,

Lumassegger B. (1995).

Häufigkeit von Suizidversuchen unter besonderer Berücksichtigung Alkoholkranker und Drogenabhängiger.

Psychomed 7: 104-108

28. Deisenhammer E., Haring Ch., Kemmler G., Pycha R., Hinterhuber H. (1996).

Suicide in South Tyrol 1980-1992: influence of affiliation to different language

groups. Eur. Arch. Psychiatry Clin Neurosci 246: 273-278

29. Bille-Brahe U., Andersen K., Wassermann D., Schmidtke A.

Bjerke T., Crepet P., De Leo D., Haring Ch., Hawton K., Kerkof A.,

Lönnquist J., Michel K., Philippe A., Querejeta I., Salander-Renberg E.,

Temesvary B. (1996).

The WHO-EURO Multicentre Study: Risk of Parasuicide and the Comparability of the Areas Under Study. *Crisis* 17/1:32-42

30. Schmidtke A., Bille-Brahe U., De Leo D., Kerkof A., Bjerke T., Vrepet P., Haring Ch., Hawton K., Lönnquist J., Michel K., Pommereau X., Querejeta I., Phillipe I., Salander-Renberg E., Temesvary B., Wassermann D., Fricke S., Weinacker B., Samapaio-Faria J.G. (1996).

Attempted suicide in Europe: rates, trends and sociodemographic characteristics of suicide attempters during the period 1989-1992. Results of the WHO/EURO Multicentre Study on Parasuicide.

Act Psychiatr Scand 93:327-338

31. De Col Ch., Haller R., Haring Ch., Hinterhuber H., Scholz H (1997).

Der „normale“ Alkoholkonsum: Folgen, Früherkennung, Symptomatik und Prävention. *A&P* 51,764,:115-119

32. Dunkel D., Antretter E., Deisenhammer E., Haring Ch. (1998).

Suizidales Verhalten in Tirol: Ergebnisse aus klinischen und nichtklinischen Untersuchungen im Rahmen der WHO/EURO Multicenterstudie zu Parasuiziden. *Österreichische Zeitschrift für Soziologie* 4: 35-59

33. Hawton K., Arnesman E., Hulten A., Wassermann D., Schmidtke A., Bille-Brahe U., De Leo D., Kerkof A., Bjerke T., Crepet P., Haring Ch., Lönnquist J., Michel K., Querejeta I., Phillipe I., Salander-Renberg E., Temesvary E. (1998) The relationship between attempted suicide and suicide Rates among young people in Europe. *Journal of Epidemiology and community health*, 52, 191 – 194

34. Schmidtke A., Weinacker B., Apter A., Batt A., Berman A., Bille-Brahe U., Botsis A., De Leo D., Doneux A., Goldney R., Grad O., Haring Ch., Hawton K., Hjelmeland H., Kelleher M., Kerkof A., Leenaars A., Lönnquist J., Michel K., Ostamo A., Salander-Renberg A., Sayil I., Takahashi Y., Van Heeringen C., Värnik A., Wassermann D. (1999).

Suicide rates in the world: Update, *Arch of Suicide Research* 5:81-89

35. Jessen G., Andersen k., Arensman E., Bille-Brah U., Crepet P., De Leo D. Hawton K., Haring Ch., Hjelmeland H., Michel K., Ostamo A., Salander-Renberg E., Schmidtke A., Temesvary B., Wassermann D. (1999).

Temporal fluctuations and seasonality in attempted suicide in Europe. *Arch of Suicide Research* 5: 57-69

36. Jessen G., Andersen K., Arensman E., Bille-Brah U., Crepet P.,

De Leo D., Hawton K., Haring Ch., Hjelmeland H., Ostamo A.,
Salander-Renberg E., Schmidtke A., Temesvary B., Wassermann D.
(1999). Attempted suicide and major public holidays in Europe: findings from the
WHO/EURO Multicenterstudy on Parasuicide. *Acta Psychiatrica Scandinavica* 99: 412 - 8

37. Michel K., Ballinari P., Bille-Brahe U., Bjerke T., Crepet P., De Leo D.,
Haring Ch., Hawton K., Kerkhof A., Lönnquist J., et al.(2000). Methods used
for parasuicide: results of the WHO/EURO Multicentre Study on Parasuicide.
Soc Psychiatry Psychiatr Epidemiol 35: 156-163

38. Antretter E., Dunkel D., Haring Ch. (2000). Die WHO/EURO Multicenter Studie zu
absichtlichen Selbstverletzungen – und Schädigungen: Ergebnisse des Österreichischen
Forschungszentrums (in Tirol) im europäischen Vergleich. *Wiener Kli Wochschr*
112(22): 955- 64

39. De Leo D., Padoani W., Socco P., Lie D., Bille-Brahe U., Arensamn E.,
Hjelmeland H., Crepet P., Haring Ch., Hawton K., Lonquist J., Michel K.,
Pommereau X., Querejeta I., Phillippe J., Salander-Renberg E., Schmidtke A.,
Fricke S., Weinacker B., Temesvary B., Wassermann D., Faria S.
(2001). Attempted and completed suicide in older subjects: results from the WHO/EURO
Multicenterstudy of Suicidal Behaviour. *Int J Geriatr Psychiatry* 16(3):300-10

40. Gutierrez-Lobos K., Fröhlich S., Quiner S., Haring Ch., Barnas Ch.
(2001). Prescription patterns and quality of information provided for consumers of
benzodiazepines. *Acta Med Austriaca* 28(2):56-9

41. Seibl R., Antretter E., Haring Ch. (2001). Konsequenzen eines Suizids für
Personen im Umfeld eines Suizidenten. *Psychiatr Prax.* 28(7):3 16-22

42. Antretter E., Dunkel D., Seibl R., Haring Ch. (2002)
Die klassifikatorische und prädiktive Qualität des Merkmales „suicide intent“ bei
Parasuiziden. *Nervenarzt* 73:219-230

43. Dunkel D., Fröhlich S., Antretter E., Haring Ch. (2002). Replication of a
two-factor model of the Beck-Depression Inventory in two clinical samples.
Psychopathology, 35: 228-233

44. Hjelmeland H., Hawton K., Nordvic H., Bille-Brahe U., De Leo D.,
Fekete S., Grad O., Kerkof A., Lonquist J., Michl K., Renberg A,
Schmidtke A., Van Heeringen K., Wassermann D. (2002).
Why people engage in parasuicide: a corss cultural study of intentions. *Suicide Life Threat
Behav.*32(4) 380-393

45. Zernig G., Wakognigg G., Madlung E., Haring Ch., Saria A. (2004)
Do vertical shifts in dose response rate-relationships in operant conditioning procedures
indicate „sensitization“, to drug wanting“. *Psychopharmacology* 171: 349-351

46. Dunkel D, Antretter E, Fröhlich-Walser S, Haring Ch. (2005)
Evaluation der Kurzform des Fragebogens zur Sozialen Unterstützung (SOZU-K-22)
in klinischen und nicht-klinischen Stichproben.
Psychother Psych Med 55: 266-277
47. Madlung E., Dunkel D., Haring Ch. (2006) Substitutionsmittel und Beikonsum bei
Opiatabhängigen. Suchttherapie 7: 18-23
48. Antretter E., Dunkel D., Oswath P., Voros V., Fekete S. , Haring Ch. (2006)
The prediction of non-fatal suicidal behaviour: a methodological comparison between
hierarchical linear modelling and traditional regression based techniques. Journal of
Clinical Epidemiology, 59(6):576-86.
49. Madlung E, Haring Ch., Crespo S., Saria A., Gubinger P., Zernig G.
Methadone Doses upon Multiple Readmissions to Inpatient Detoxification: Clinical Evidence for
Very Moderate Opioid Tolerance. Pharmacology 2006 Aug 15;78(1):38-43
50. Crane C., Williams M.G., Hawton K., Bille Brahe U., Corcoran P., De Led D., Fekete S., Grad
O., Haring Ch et al. The Association between Life Events and Suicide Intent in Individuals
Presenting with First-Episode and Repeated Deliberate Self Harm. Journal of Consulting and
Clinical Psychology (in press)